

Snapshot of Regional Priority Topics for Residential Coordinating Committee

Click on the dates in the table heading to review additional details

Residential Coordinating Committee (RCC) 2026 Annual Workplan				
Q1 Meeting Day 1 – 17 th March, Tuesday (HYBRID)	Q1 Meeting Day 2 – 18 th March, Wednesday (HYBRID)	Q2 Meeting – 16 th June, Tuesday (VIRTUAL)	Q4 Meeting Day 1 – 1 st December, Tuesday (VIRTUAL)	Q4 Meeting Day 2 – 2 nd December, Wednesday (VIRTUAL)
<p><u>Heat Pump Water Heaters</u></p> <p><u>Topic:</u> <i>NEEA Shareout:</i> Highlights from Market Progress Evaluation Report (MPER) 8 and program next steps</p> <p>(60- 90 minutes)</p> <p><u>Desired Outcome:</u> TBD during topic buildout</p>	<p><u>Advanced Heat Pumps</u></p> <p><u>Topic:</u> <i>Coordination Opportunity:</i> Continuing to build regional alignment on a new RTF HP measure development</p> <p>(60-90 minutes)</p> <p><u>Desired Outcome:</u> TBD during topic buildout</p> <p><u>Consumer Products</u></p> <p><u>Topic:</u> <i>NEEA Shareout:</i> NW Online Marketplace Update</p> <p>(30 minutes)</p> <p><u>Desired Outcome:</u> TBD during topic buildout</p>	<p><u>Advanced Heat Pumps</u></p> <p><u>Topic:</u> <i>NEEA Shareout & Coordination:</i> NW Heat Pump Symposium results roll out for addressing minimizing supplemental heat with consumers, installers, and manufacturers.</p> <p>(60-90 minutes)</p> <p><u>Desired Outcome:</u> TBD during topic buildout</p>	<p><u>Consumer Products Retail Products Portfolio</u></p> <p><u>Topic:</u> <i>NEEA Shareout:</i> Room Heat Pumps – sales results in RPP and customer usage and performance data</p> <p>(60-90 minutes)</p> <p><u>Desired Outcome:</u> TBD during topic buildout</p>	<p>2027 ANNUAL TOPIC PLANNING</p>

Q1 Meeting Day 1 – 17th March, Tuesday (HYBRID)

Regional Topic (up to 90 mins)	Topic: Highlights from Market Progress Evaluation Report (MPER) 8 and program next steps
Regional Roundtable Update (75-90 mins)	
Ad-Hoc Topic	
Regional Topic Check In (10-15 mins)	
Housekeeping (15 mins)	

Q1 Day 1– Heat Pump Water Heaters

- Highlights from Market Progress Evaluation Report (MPER) 8 and program next steps

- **Topic lead:** NEEA PM –Emily Rosenbloom & Alex Merrill
- **Desired Outcome:** TBD
- **RCC Contributors:** TBD
- **Additional detail:**

Q1 Meeting Day 2 – 18th March, Wednesday (HYBRID)

Regional Topic (up to 90 mins)	Topic 1: Continuing to build regional alignment on a new RTF HP measure development
Regional Topic (up to 90 mins)	Topic 2: NW Online Marketplace update
Ad-Hoc Topic	
Regional Topic Check In (10-15 mins)	
Housekeeping (15 mins)	

Q1 Day 2 Topic 1– Advanced Heat Pumps

- *Continuing to build regional alignment on a new RTF HP measure development*

- **Topic lead:** NEEA PM – Suzi Asmus
- **Desired Outcome:** TBD
- **RCC Contributors:** TBD
- **Additional detail:**
 - Building alignment on RTF measure, how and when utilities might adopt a new measure from RTF, cold climate with managing supplemental (electric resistance) heat (this could necessitate Q1 and Q2 coordination)
 - Updated on RTF and Update on other improvements
 - Advocate for regional coordination and investment in an RTF Field Research plan to gather data on the new RTF heat pump measures to establish them as proven measures
 - Notes from Meeting:
 - This would need to be presented in Q2 as we are hoping to bring the measure to Efficiency Exchange in May and present how to use and implement the new measure then.
 - Patrick Hermann: I lead the DR segment for SCL, but we're not there as a utility with the water heater measure. Or heat pump for that matter.

Topic 2 – Topic 2 – Consumer Products

- *NW Online Marketplace Update*

- **Topic lead:** NEEA
- **Desired Outcome:** TBD

Q2 Meeting – 16th June, Tuesday (VIRTUAL)

Regional Topic (up to 90 mins)	Topic: NW Heat Pump Symposium results roll out for addressing minimizing supplemental heat with consumers, installers, and manufacturers.
Regional Roundtable Update (75-90 mins)	
Ad-Hoc Topic	
Regional Topic Check In (10-15 mins)	
Housekeeping (15 mins)	

Q2 – Advanced Heat Pump

- NW Heat Pump Symposium results roll out for addressing minimizing supplemental heat with consumers, installers, and manufacturers.

- **Topic lead:** NEEA PM –Suzi Asmus
- **Desired Outcome:** TBD
- **RCC Contributors:** TBD
- **Additional detail:**
 - Presentation would consist of 3 workshops/symposiums that took place between Oct 2024 and May 2025. Hoping to come together during Efficiency Exchange in May to bring results. This would also need to be a Q2 topic presentation.

Q4 Meeting Day 1 – 1st December, Tuesday (VIRTUAL)

Regional Topic (up to 90 mins)	Topic 1: Room Heat Pumps – sales results in RPP and customer usage and performance data
Regional Roundtable Update (75-90 mins)	
Ad-Hoc Topic	
Regional Topic Check In (10-15 mins)	
Housekeeping (15 mins)	

Q4 Day 1– Retail Products Portfolio

- *Room Heat Pumps – sales results in RPP and customer usage and performance data*
 - Topic lead: NEEA PM – Anne Brink & Christopher Dymond
 - **Desired Outcome:** TBD
 - **Additional detail:**
 - Marshall Johnson: Portland Clean Energy Fund (PCEF) recently announced a grant where there might be an opportunity to participate with them in some light evaluation or coordination for NEEA.
 - **ACTION:** Anne to reach out to Christopher Dymond to see how aware he is of this grant as he is the NEEA rep that is managing the product right now. Possibility to include them in the coordination of this topic if its chosen.
 - Trevor Frick: Seems timely that BPA is rolling out a measure and should have a years worth of data through their field study that started in summer of 2025 relating to this by end of Q2 or Q3.
 - Anne: So we could get updates from NEEA and WSU with additional updates from CalMTA earlier in the year if we have
 - Dave: Unfortunately, with internal discussions going on I don't know that BPA can commit to sharing out or having new measures by our Q2 meeting. So this might need to be a Q4 discussion.

Q4 Meeting Day 2 – 2nd December, Tuesday (VIRTUAL)

Annual Planning Session

Q4 Day 2– Annual Planning Session for 2027

DRAFT